

UNDER 37 CFR 1.116  
EXPEDITED PROCEDURE

Dkt. #865-B-PCT-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Liu and Liu  
U.S. Serial No. : 10/593,701  
Confirmation No.: 3093  
Filed : September 19, 2006  
Examiner : Hao D. Mai  
Art Unit : 3732  
For : FLEXIBLE DENTAL FLOSS APPLICATOR AND  
INTERDENTAL GUM STIMULATOR

Enter/W  
RCE  
10/10/08  
B. Ross  
10/24/08

Law Offices of Albert Wai-Kit Chan, PLLC  
World Plaza, Suite 604  
141-07 20<sup>th</sup> Avenue  
Whitestone, New York 11357

September 29, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir/Madam:

AMENDMENT IN RESPONSE TO AUGUST 14, 2008 FINAL OFFICE ACTION

This Amendment is submitted in response to the final Office Action mailed August 14, 2008. A shortened statutory period for reply is set to expire 3 months from the mailing date of the final Office Action, i.e. on November 14, 2008. Accordingly, this Amendment is being timely filed.